



DISCOVER
YOUR BRIGHTER SIDE

LED

Optical Solutions

- Bright LED Source
- Long Life Time, above 20000 hrs
- Circuit Protection with Thermal Management
- Customizable | Shape and expand as per your needs



Ledos
Discover Your Brighter Side



CHARACTERISTIC & APPLICATIONS

LED

SMD 3528

Modules

SMD 5050

- High brightness SMD 3528 & 5050 LED has wide viewing angle with high luminosity.
- Controlled by the chips with constant current.
- Low voltage, shock proof, water proof, safe and maintenance free long life.
- Can be used in frames, false ceilings, cover lighting & other decorative purpose.
- Long life time, above 20000 hrs.
- Low power consumption conserves and saves electricity. Available in single color & RGB of 5 meter length rolls.

Super bright **3528 & 5050 SMD LED** as lighting resources.

Total 300 PCS/5 meter.

Colour Available:
White/ Warm White/
Natural White/ Pink/ Red/ Green/
Blue/ RGB

Input Voltage:
DC12V

Lumin/m:
3528 - 360 Lumin/m
5050 - 960 Lumin/m

Can be cut by 3 led

PARAMETERS

S.NO.	PRODUCT	IP SERIES	WATTS	COLORS
1	SMD-NWP-3528	IP33	4.8 / W	W, WW, NW, R,G,B
2	SMD-GLUE-3528	IP44	4.8 / W	W, WW, NW, R,G,B, P
3	SMD-NWP-5050	IP33	14.4 / W	W, WW, NW, R,G,B, RGB
4	SMD-GLUE-5050	IP44	14.4 / W	W, WW, NW
5	SMD-WP-5050	IP68	14.4 / W	W, WW, NW, R,G,B, RGB



DISCOVER YOUR BRIGHTER SIDE



Ledos Lighting Pvt. Ltd.

129, Sultan Nagar, Near Gurjar ki Thadi,
Gopalpura Bypass, Jaipur-18 , Rajasthan (India)

101, Abhigna Society, C Wing Building No 3, Dattani Nagar, SV Road,
Borivali(west), opp Leela Petroleum, Mumbai-400092, Maharashtra (India)

Tel: +91-141- 3151375, E-mail: info@ledos.in, Web: www.ledos.in



Specifications, descriptions and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without notice. We reserve the right to make engineering changes to improve the products at anytime.